



PALLADIO TELESCOPIC




La versione telescopica, progettata e sviluppata per prima da Scolaro, propone una apertura e chiusura dell'ombrellone facile e funzionale al di sopra di tavoli e sedie.

EN

The telescopic version Palladio, planned and developed first by Scolaro, offers an easy and functional opening and closing over tables and chairs.





-  500
-  400x400
-  300x400

DE

Die Teleskopversion Palladio, die Scolaro als Erster entwickelt und angeboten hat, bietet eine einfache und funktionelle Öffnung und Schliessung oberhalb von Tischen und Stuehlen an.

FR

La ligne Palladio télescopique, que Scolaro a projeté et développé par premier, offre une ouverture et fermeture facile et fonctionnel.

ES

La versión telescópica, planeada y desarrollada por la primera vez de Scolaro, propone una abertura y un cierre de la sombrilla fácil y funcional por encima de mesas y sillas.

NL

De telescoopversie, die Scolaro als eerste ontwikkeld heeft, biedt een eenvoudige oplossing om ook grote parasols (Ø 5,00 mtr.) boven de tafel te laten sluiten.



IT

Sistema di apertura telescopico. Telaio in legno Iroko selezionato, trattato con vernice protettiva per esterni.

EN

Telescopic opening system. Frame: Selected Iroko wood. Varnished and treated.

DE

Teleskopoeffnungssystem. Gestell: Erstklassiges Irokoholz mit umweltfreundlicher Schutzlasur.

FR

Ouverture telescopique. Armature: Bois Iroko sélectionné, traité avec un vernis protecteur.

ES

Sistema de apertura telescópica. Estructura: Iroko con recubrimientos protectores para uso en exteriores.

NL

Telescoop systeem voor het openen en sluiten van de parasol boven de tafel.
Mast en baleinen: Iroko, milieuvriendelijk behandeld.




CHARACTERISTICS



<p>5,0 C5000 PAT</p>	32	0,21	58	10	18x34
<p>4,0 x 4,0 C4040 PAT</p>	30	0,23	58	8	20x34
<p>3,0 x 4,0 C3040 PAT</p>	25	0,15	58	8	18x34

OPTIONAL



	BASES p. 210	BALLAST p. 218	GROUND FIXING p. 219
<p>5,0 C5000 PAT</p>	<p>BF6666D BF6666W</p> <p>BC80MA4</p> <p>BQ8080ZS BQ8080DS</p> <p>BUD8080BS BUD8080DS</p>	<p>BTC +BTT65</p> <p>CP3030ZS +BTT65</p>	
<p>4,0 x 4,0 C4040 PAT</p>	<p>BF6666D BF6666W</p> <p>BC80MA4</p> <p>BQ8080ZS BQ8080DS</p> <p>BUD8080BS BUD8080DS</p>	<p>BTC +BTT65</p> <p>CP3030ZS +BTT65</p>	
<p>3,0 x 4,0 C3040 PAT</p>	<p>BF6565D BF6666D BF6565W BF6666W</p> <p>BC55MA4 BC80MA4</p> <p>BQ8080ZS BQ8080DS</p> <p>BUD8080BS BUD8080DS</p>	<p>BTC +BTT65</p> <p>CP3030ZS +BTT65</p>	


88 FINISHING

- Camino antivento
Wind cap
- Sistema Telescopico
Telescopic system
- Doppia Carrucola
Double pulley
- Iroko Wood


COLOUR RANGE - p.228

ACRILYC 350GR

Con Volante / with Volant



Senza Volant / without Volant



VERIFICA LA STABILITÀ - p.220

Check stability - Vérifiez la stabilité - Stabilität prüfen - Compruebe la estabilidad - Controleer de stabiliteit